



**UNITED STATES DEPARTMENT OF COMMERCE**  
**United States Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

*CW*

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/530,747 10/23/00 KESSLER

C 4817/OR

022829 HM22/0723  
ROCHE MOLECULAR SYSTEMS INC  
PATENT LAW DEPARTMENT  
1145 ATLANTIC AVENUE  
ALAMEDA CA 94501

EXAMINER

TAYLOR, J

ART UNIT

PAPER NUMBER

1655

10

DATE MAILED:

07/23/01

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner of Patents and Trademarks**

# Office Action Summary

Application No.

09/530,747

Applicant(s)

KESSLER ET AL.

Examiner

Janell Taylor Cleveland

Art Unit

1655

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 25 May 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☒ All b) ☐ Some \* c) ☐ None of:  
1. ☒ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_ 6) ☐ Other:

### DETAILED ACTION

The following is a NEW GROUNDS OF REJECTION. Any rejection not reiterated is withdrawn. Because the new grounds of rejection obviates Applicant's response of 5/25/2001, the arguments presented therein are not specifically addressed.

#### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-2, 4-5, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Livak et al (USPN 5,538,848) in view of Western et al. (5,882,857).

The claims are drawn to a method for the detection of a nucleic acid comprising the steps: (a) producing a plurality of amplicates of a section of the nucleic acid with the aid of two primers, one of which can bind to a first binding sequence (A) of one strand of the nucleic acid and the other can bind to a second binding sequence (C') which is essentially complementary to a sequence C which is located in the 3' direction from A and does not overlap A, in the presence of a probe with a binding sequence D which can bind to the third sequence (B) located between the sequences A and C or to the complement (B') thereof, wherein this probe contains a reporter group and a quencher group, using a polymerase having 5' nuclease activity, and (b) detecting the nucleic acid by measuring a signal which is caused by the release of the reporter group, wherein the amplicates formed with the aid of the primers have a length of less than 75

nucleotides. Other claims are drawn to the probe sequence not overlapping that of the primers, the binding sequences not being specific for the nucleic acid to be detected, the primer being less than 61 nucleotides in length, the probe being labeled with a fluorescent quencher as well as a fluorescent dye, and to the nucleotides being complementary to A, G, C, and T.

Livak et al. teach "A method is provided for monitoring the progress of nucleic acid amplifications that rely on a nucleic acid polymerase having 5' to 3' exonuclease activity [such as Taq polymerase, which also has 5' nuclease activity, as disclosed in the claims]. An important feature of the method is providing an oligonucleotide probe having a *reporter molecule* and a *quencher molecule* at either end such that the quencher molecule substantially quenches any fluorescence from the reporter whenever the oligonucleotide probe is in a single stranded state and such that the reporter is substantially unquenched whenever the oligonucleotide probe is in a double stranded state hybridized to a target polynucleotide." (Abstract). Livak et al. also teach "The binding site of the oligonucleotide probe is located between the PCR primers used to amplify the target polynucleotide." (Col. 4, line 20). In other words, Livak et al. teach two primers and a probe which hybridizes in between the primers, and contains a reporter and a quencher molecule.

Livak does not teach that the amplificate is less than 75, or 61, nucleotides in length.

Western et al. teaches "target sequence of a target polynucleotide--a sequence of nucleotides to be identified, *usually existing within a portion (target polynucleotide) or*

*all of a polynucleotide analyte*, the identity of which is known to an extent sufficient to allow preparation of various primers and other molecules necessary for conducting an amplification of the target sequence contained within the target polynucleotide. In general, in primer extension amplification primers hybridize to, and are extended along (chain extended), at least the target sequence within the target polynucleotide and, thus, the target sequence acts as a template. The extended primers are chain "extension products". The target sequence usually lies between two defined sequences but need not. In general, the primers and other *probe polynucleotides* hybridize with the defined sequences or with at least a portion of such target polynucleotide, usually at least a ten nucleotide segment at the 3' end thereof and preferably at least 15, frequently 20 to 50 nucleotide segment thereof. *The target sequence usually contains from about 30 to 5000 or more nucleotides, preferably 50 to 1000 nucleotides. The target polynucleotide is generally a fraction of a larger molecule or it may be substantially the entire molecule (polynucleotide analyte).*" (Col. 12 bridging Col. 13). Therefore, Western et al teach an amplification product of 30 to 5000 nucleotides, which is capable of hybridizing with a probe.

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Livak with those of Western. This is because it would have been obvious to use amplicates of less than 75 nucleotides to hybridize the probe to, as Western taught that probes were capable of hybridizing to amplicates from a wide variety of lengths. Furthermore, it would have been obvious to one of ordinary skill in the art that as long as the amplicate was long enough to be able to

Art Unit: 1655

hybridize with the full length of the probe, the size of the amplificate would have been irrelevant. Although Western does not teach that the probe is comprised of a reporter/quencher system, it would have been obvious to one of ordinary skill in the art at the time of the invention that the reporter/quencher system would have been useful with the probe of Western et al. for identifying the target nucleic acid.

3. Claims 3 and 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Livak et al. in view of Western.

The claims are drawn to a method for the detection of a nucleic acid comprising the steps: (a) producing a plurality of amplificates of a section of the nucleic acid with the aid of two primers, one of which can bind to a first binding sequence (A) of one strand of the nucleic acid and the other can bind to a second binding sequence (C') which is essentially complementary to a sequence C which is located in the 3' direction from A and does not overlap A, in the presence of a probe with a binding sequence D which can bind to the third sequence (B) located between the sequences A and C or to the complement (B') thereof, wherein this probe contains a reporter group and a quencher group, using a polymerase having 5' nuclease activity, and (b) detecting the nucleic acid by measuring a signal which is caused by the release of the reporter group, wherein the amplificates formed with the aid of the primers have a length of less than 75 nucleotides. Other claims are drawn to the probe sequence not overlapping that of the primers, the binding sequences not being specific for the nucleic acid to be detected, the primer being less than 61 nucleotides in length, the probe being labeled with a

fluorescent quencher as well as a fluorescent dye, and to the nucleotides being complementary to A, G, C, and T.

Livak et al. teach "A method is provided for monitoring the progress of nucleic acid amplifications that rely on a nucleic acid polymerase having 5' to 3' exonuclease activity [such as Taq polymerase, which also has 5' nuclease activity, as disclosed in the claims]. An important feature of the method is providing an oligonucleotide probe having a *reporter molecule* and a *quencher molecule* at either end such that the quencher molecule substantially quenches any fluorescence from the reporter whenever the oligonucleotide probe is in a single stranded state and such that the reporter is substantially unquenched whenever the oligonucleotide probe is in a double stranded state hybridized to a target polynucleotide." (Abstract). Livak et al. also teach "The binding site of the oligonucleotide probe is located between the PCR primers used to amplify the target polynucleotide." (Col. 4, line 20). In other words, Livak et al. teach two primers and a probe which hybridizes in between the primers, and contains a reporter and a quencher molecule.

Livak does not teach that the amplificate is less than 75, or 61, nucleotides in length.

Western et al. teaches "target sequence of a target polynucleotide--a sequence of nucleotides to be identified, *usually existing within a portion (target polynucleotide) or all of a polynucleotide analyte*, the identity of which is known to an extent sufficient to allow preparation of various primers and other molecules necessary for conducting an amplification of the target sequence contained within the target polynucleotide. In

general, in primer extension amplification primers hybridize to, and are extended along (chain extended), at least the target sequence within the target polynucleotide and, thus, the target sequence acts as a template. The extended primers are chain "extension products". The target sequence usually lies between two defined sequences but need not. In general, the primers and other *probe polynucleotides* hybridize with the defined sequences or with at least a portion of such target polynucleotide, usually at least a ten nucleotide segment at the 3' end thereof and preferably at least 15, frequently 20 to 50 nucleotide segment thereof. *The target sequence usually contains from about 30 to 5000 or more nucleotides, preferably 50 to 1000 nucleotides. The target polynucleotide is generally a fraction of a larger molecule or it may be substantially the entire molecule (polynucleotide analyte).*" (Col. 12 bridging Col. 13). Therefore, Western et al teach an amplification product of 30 to 5000 nucleotides, which is capable of hybridizing with a probe.

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Livak with those of Western. This is because it would have been obvious to use amplicates of less than 75 nucleotides to hybridize the probe to, as Western taught that probes were capable of hybridizing to amplicates from a wide variety of lengths. Furthermore, it would have been obvious to one of ordinary skill in the art that as long as the amplicate was long enough to be able to hybridize with the full length of the probe, the size of the amplicate would have been irrelevant. Although Western does not teach that the probe is comprised of a reporter/quencher system, it would have been obvious to one of ordinary skill in the art



at the time of the invention that the reporter/quencher system would have been useful with the probe of Western et al. for identifying the target nucleic acid.

Neither Livak nor Western et al. teach the that the primer or probe is not specific for the target.

It would have been obvious to one of ordinary skill in the art to have a primer or probe which was known to amplify, or hybridize with, more than just the target nucleic acid. This is because it would have allowed the practitioner to amplify or detect multiple species of a genus, for instance, or to detect or amplify a sequence where the entire sequence was not known. This would have allowed for amplification and detection of a nucleic acid without the need to first sequence the nucleic acid.

### ***Summary***

Claims 1-9 are rejected under 35 U.S.C. 103(a). No claims are free of the prior art.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Janell Taylor Cleveland, whose telephone number is (703) 305-0273.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Jones, can be reached at (703) 308-1152.

Any inquiries of a general nature relating to this application should be directed to the Group receptionist whose telephone number is (703) 308-0196.

Application/Control Number: 09/530,747

Page 9

Art Unit: 1655

Papers related to this application may be submitted by facsimile transmission.

Papers should be faxed to Group 1634 via the PTO Fax Center using (703) 305-3014 or 305-4227. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG (November 15, 1989.)

Janell Taylor Cleveland

July 17, 2001

  
CARLA J. MYERS  
PRIMARY EXAMINER